


**AMENDMENTS TO THE CLAIMS**


**This listing of claims will replace all prior versions and listings of claims in the application:**

**LISTING OF CLAIMS:**

1. (canceled).
2. (canceled).
3. (currently amended): Diamine compounds represented by the general formula I:



wherein A<sup>1</sup> and A<sup>2</sup> each independently represent a mesogen group represented by general formula II:



wherein

C<sup>1</sup> to C<sup>3</sup> each independently represent an aromatic or an alicyclic group, which is unsubstituted or mono- or poly-substituted by a cyano group or by halogen atoms, or by a cyclic, straight-chain or branched alkyl residue which is unsubstituted,

mono- or poly-substituted by fluorine, chlorine, having 1 to 18 carbon atoms, or by a cyclic, straight-chain or branched alkyl residue which is unsubstituted, mono- or poly-substituted by fluorine, chlorine, having 1 to 18 carbon atoms, wherein one or more non-adjacent -CH<sub>2</sub>- groups is independently replaced by a group B;

D represents a hydrogen atom, a halogen atom, a cyano group, or a straight-chain or branched alkyl residue which is unsubstituted, mono-substituted by cyano or fluorine, chlorine, or poly-substituted by fluorine, chlorine, having 1 to 24 carbon atoms, or a straight-chain or branched alkyl residue which is unsubstituted, mono-substituted by cyano or fluorine, chlorine, or poly-substituted by fluorine, chlorine, having 1 to 24 carbon atoms, wherein one or more non-adjacent -CH<sub>2</sub>- groups is independently replaced by a group B, or represents a organic group having a steroid skeleton;

S<sup>1</sup> represents ~~a single bond or a spacer unit such a straight chain or branched alkylene group which is unsubstituted, mono or poly substituted by a cyano group or by halogen atoms, having 1 to 24 carbon atoms, or a spacer unit which is straight chain or branched alkylene group which is unsubstituted, mono or poly substituted by a cyano group or by halogen atoms, having 1 to 24 carbon atoms, wherein one or more non adjacent -CH<sub>2</sub>- groups is independently replaced by a group B;~~ 1,2-ethylene, 1,3-propylene, 1,4-butylene, 1,5-pentylene, 1,6-hexylene, 1,7-heptylene, 1,8-octylene, 1,9-nonylene, 1,10-decylene, 1,11-undecylene, 1,12-dodecylene, 3-methyl-1,4-butylene, 2-(methylenoxy)ethylene, 3-(methylenoxy)propylene, 4-(methylenoxy)butylene, 5-(methylenoxy)pentylene,

6-(methylenoxy)hexylene, 7-(methylenoxy)heptylene, 8-(methylenoxy)octylene,  
9-(methylenoxy)nonylene, 10-(methylenoxy)decylene,  
11-(methylenoxy)undecylene, 12-(methylenoxy)dodecylene,  
2-(carbonyloxy)ethylene, 3-(carbonyloxy)propylene, 4-(carbonyloxy)butylene,  
5-(carbonyloxy)pentylene, 6-(carbonyloxy)hexylene, 7-(carbonyloxy)heptylene,  
8-(carbonyloxy)octylene, 9-(carbonyloxy)nonylene, 10-(carbonyloxy)decylene,  
11-(carbonyloxy)undecylene, 12-(carbonyloxy)dodecylene,  
2-(carbonylamino)ethylene, 3-(carbonylamino)propylene,  
4-(carbonylamino)butylene, 5-(carbonylamino)pentylene,  
6-(carbonylamino)hexylene, 7-(carbonylamino)heptylene,  
8-(carbonylamino)octylene, 9-(carbonylamino)nonylene,  
10-(carbonylamino)decylene, 11-(carbonylamino)undecylene,  
12-(carbonylamino)dodecylene, 3-propyleneoxy, 3-propyleneoxycarbonyl,  
2-ethylenoxy, 4-butylenoxy, 4-butylenoxycarbonyl, 3-propylenoxy,  
5-pentylenoxy, 5-pentylenoxycarbonyl, 4-butylenoxy, 6-hexylenoxy,  
6-hexylenoxycarbonyl, 5-pentylenoxy, 7-heptylenoxy,  
7-heptylenoxycarbonyl, 6-hexylenoxy, 8-octylenoxy,  
8-octylenoxycarbonyl, 7-hepylenoxy, 9-nonylenoxy,  
9-nonylenoxycarbonyl, 8-octylenoxy, 10-decylenoxy,  
10-decylenoxycarbonyl, 9-nonylenoxy, 11-undecylenoxy,  
11-undecylenoxycarbonyl, 10-decylenoxy, 12-dodecylenoxy,  
12-dodecylenoxycarbonyl, 11-undecylenoxy, 3-propyleneaminocarbonyl,  
4-butylenaminocarbonyl, 5-pentylenaminocarbonyl, 6-hexylenaminocarbonyl,

7-heptyleneaminocarbonyl, 8-octyleneaminocarbonyl, 9-nonyleneaminocarbonyl,  
10-decyleneaminocarbonyl, 11-undecyleneaminocarbonyl,  
12-dodecyleneaminocarbonyl, 2-ethylenecarbonylamino,  
3-propylenecarbonylamino, 4-butylenecarbonylamino,  
5-pentylenecarbonylamino, 6-hexylenecarbonylamino,  
7-heptylenecarbonylamino, 8-octylenecarbonylamino, 9-nonylenecarbonylamino,  
10-decylenecarbonylamino, 11-undecylenecarbonylamino,  
2-(methylenoxy)ethanoyloxy, 3-(methylenoxy)propyloxy,  
3-(methylenoxy)propyloxy carbonyl, 4-(methylenoxy)butyloxy,  
4-(methylenoxy)butyloxy carbonyl, 3-(methylenoxy)propanoyloxy,  
5-(methylenoxy)pentyloxy, 5-(methylenoxy)pentyloxy carbonyl,  
4-(methylenoxy)butanoyloxy, 6-(methylenoxy)hexyloxy,  
6-(methylenoxy)hexyloxy carbonyl, 5-(methylenoxy)pentanoyloxy,  
7-(methylenoxy)heptyloxy, 7-(methylenoxy)heptyloxy carbonyl,  
6-(methylenoxy)hexanoyloxy, 8-(methylenoxy)octyloxy,  
8-(methylenoxy)octyloxy carbonyl, 7-(methylenoxy)heptanoyloxy,  
9-(methylenoxy)nonyloxy, 9-(methylenoxy)nonyloxy carbonyl,  
8-(methylenoxy)octanoyloxy, 10-(methylenoxy)decyloxy,  
10-(methylenoxy)decyloxy carbonyl, 9-(methylenoxy)nonanoyloxy,  
11-(methylenoxy)undecyloxy, 11-(methylenoxy)undecyloxy carbonyl,  
10-(methylenoxy)decanoyloxy, 12-(methylenoxy)dodecyloxy,  
12-(methylenoxy)dodecyloxy carbonyl, 11-(methylenoxy)undecanoyloxy,  
3-(methylenoxy)propylaminocarbonyl, 4-(methylenoxy)butylaminocarbonyl,

5-(methylenoxy)pentylaminocarbonyl, 6-(methylenoxy)hexylaminocarbonyl,  
7-(methylenoxy)heptylaminocarbonyl, 8-(methylenoxy)octylaminocarbonyl,  
9-(methylenoxy)nonylaminocarbonyl, 10-(methylenoxy)decylaminocarbonyl,  
11-(methylenoxy)undecylaminocarbonyl,  
12-(methylenoxy)dodecylaminocarbonyl, 2-(methylenoxy)ethanoylamino,  
3-(methylenoxy)propanoylamino, 4-(methylenoxy)butanoylamino,  
5-(methylenoxy)pentanoylamino, 6-(methylenoxy)hexanoylamino,  
7-(methylenoxy)heptanoylamino, 8-(methylenoxy)octanoylamino,  
9-(methylenoxy)nonanoylamino, 10-(methylenoxy)decanoylamino,  
11-(methylenoxy)undecanoylamino, 12-(methylenoxy)dodecylaminocarbonyl,  
2-(carbonyloxy)ethanoyloxy, 3-(carbonyloxy)propyloxy,  
3-(carbonyloxy)propyloxycarbonyl, 4-(carbonyloxy)butyloxy,  
4-(carbonyloxy)butyloxycarbonyl, 3-(carbonyloxy)propanoyloxy,  
5-(carbonyloxy)pentyloxy, 5-(carbonyloxy)pentyloxycarbonyl,  
4-(carbonyloxy)butanoyloxy, 6-(carbonyloxy)hexyloxy,  
6-(carbonyloxy)hexyloxycarbonyl, 5-(carbonyloxy)pentanoyloxy,  
7-(carbonyloxy)heptyloxy, 7-(carbonyloxy)heptyloxycarbonyl,  
6-(carbonyloxy)hexanoyloxy, 8-(carbonyloxy)octyloxy,  
8-(carbonyloxy)octyloxycarbonyl, 7-(carbonyloxy)heptanoyloxy,  
9-(carbonyloxy)nonyloxy, 9-(carbonyloxy)nonyloxycarbonyl,  
8-(carbonyloxy)octanoyloxy, 10-(carbonyloxy)decyloxy,  
10-(carbonyloxy)decyloxycarbonyl, 9-(carbonyloxy)nonanoyloxy,  
11-(carbonyloxy)undecyloxy, 11-(carbonyloxy)undecyloxycarbonyl,

10-(carbonyloxy)decanoyloxy, 12-(carbonyloxy)dodecyloxy,  
12-(carbonyloxy)dodecyloxy carbonyl, 11-(carbonyloxy)undecanoyloxy,  
3-(carbonyloxy)propylaminocarbonyl, 4-(carbonyloxy)butylaminocarbonyl,  
5-(carbonyloxy)pentylaminocarbonyl, 6-(carbonyloxy)hexylaminocarbonyl,  
7-(carbonyloxy)heptylaminocarbonyl, 8-(carbonyloxy)octylaminocarbonyl,  
9-(carbonyloxy)nonylaminocarbonyl, 10-(carbonyloxy)decylaminocarbonyl,  
11-(carbonyloxy)undecylaminocarbonyl,  
12-(carbonyloxy)dodecylaminocarbonyl, 2-(carbonyloxy)ethanoylamino,  
3-(carbonyloxy)propanoylamino, 4-(carbonyloxy)butanoylamino,  
5-(carbonyloxy)pentanoylamino, 6-(carbonyloxy)hexanoylamino,  
7-(carbonyloxy)heptanoylamino, 8-(carbonyloxy)octanoylamino,  
9-(carbonyloxy)nonanoylamino, 10-(carbonyloxy)decanoylamino,  
11-(carbonyloxy)undecanoylamino, 12-(carbonyloxy)dodecylaminocarbonyl  
6-(3-propyleneaminocarbonyloxy)hexylene, 6-(3-propyleneoxy)hexylene,  
6-(3-propyleneoxy)hexyloxy, 6-(3-propyleneaminocarbonyloxy)hexyloxy,  
6-(3-propyleneaminocarbonyl)hexyl, 6-(3-propyleneaminocarbonyl)hexyloxy,  
2-(1-methyleneoxy)ethyloxy carbonyloxy,  
3-(1-methyleneoxy)propyloxy carbonyloxy,  
6-(1-methyleneoxy)hexyloxy carbonyloxy, 2-(1-methyleneoxycarbonyl)ethylene,  
3-(1-methyleneoxycarbonyl)propyloxy carbonyloxy,  
6-(1-methyleneoxycarbonyl)hexyloxy carbonyloxy,  
6-(3-propyleneoxycarbonyloxy)hexylene, 6-(3-propyleneoxycarbonyl)hexylene,  
2-(1-methyleneaminocarbonyl)ethylene,

3-(1-methyleneaminocarbonyl)propylene,

6-(1-methyleneaminocarbonyl)hexylene, and

6-(3-propyleneaminocarbonyloxy)hexylene,

6-(3-propyleneaminocarbonyl)hexylene.

Z1 , Z2 each independently of the other represent a single bond or a spacer unit which is straight-chain or branched alkylene group which is unsubstituted, mono or polysubstituted by a cyano group or by halogen atoms, having 1 to 8 carbon atoms or a spacer unit such a straight-chain or branched alkylene group which is unsubstituted, mono or poly-substituted by a cyano group or by halogen atoms, having 1 to 8 carbon atoms, wherein one or more non-adjacent -CH<sub>2</sub>- groups is independently replaced by a group B;

n1 is 0 or 1, and

n1 to n2 and n3 are each independently 0 or 1; and

B represents a group selected from -O-, -CO-, -CO-O-, -O-CO-, -NR<sup>1</sup>-, -NR<sup>1</sup>-CO-, -CO-NR<sup>1</sup>-, -NR<sup>1</sup>-CO-O-, -O-CO-NR<sup>1</sup>-, -NR<sup>1</sup>-CO-NR<sup>1</sup>-, -CH=CH-, -C≡C-, -O-CO-O- and -Si(CH<sub>3</sub>)<sub>2</sub>-O-Si(CH<sub>3</sub>)<sub>2</sub>- and wherein R<sup>1</sup> represents a hydrogen atom or a straight chain or branched hydrocarbon radical having from 1 to 6 carbon atoms;

~~with the proviso that if n1 = n2 = n3 = 0 then D is a straight chain or branched alkyl residue which is unsubstituted, mono-substituted by cyano or fluorine, chlorine, or poly-substituted by fluorine, chlorine, having 5 to 24 carbon atoms or a straight chain or branched alkyl residue which is unsubstituted, mono-substituted by cyano or fluorine, chlorine, or poly-substituted by~~

~~fluorine, chlorine, having 5 to 24 carbon atoms, wherein one or more non-adjacent -CH<sub>2</sub>- groups is independently replaced by a group B, or represents a organic group having a steroid skeleton.~~

4. (previously presented): Diamine compounds according to claim 3, wherein C<sup>1</sup> to C<sup>3</sup> are selected from pyrimidine-2,5-diyl, pyridine-2,5-diyl, 1,4- or 2,6-naphthylene, decahydronaphthalin-2,6-diyl, 1,2,3,4-tetrahydronaphthalin-2,6-diyl, cyclohexane-1,4-diyl and 1,4-phenylene, which is unsubstituted or substituted by a cyclic, straight-chain or branched alkyl residue which is unsubstituted, mono- or poly-substituted by fluorine, chlorine having from 1 to 12 carbon atoms in which optionally one or more non-adjacent -CH<sub>2</sub>- groups are replaced by -O-, -CO-, -CO-O-, -O-CO-, -CH=CH- and -C≡C-.

5. (previously presented): Diamine compounds according to claim 3, wherein C<sup>1</sup> to C<sup>3</sup> are selected from cyclohexane-1,4-diyl and 1,4-phenylene, which is unsubstituted or substituted by a cyclic, straight-chain or branched alkyl residue having 1 to 12 carbon atoms in which optionally one or more non-adjacent -CH<sub>2</sub>- groups are replaced by -O-, -CO-, -CO-O-, -O-CO-, -CH=CH- and -C≡C-.

6. (previously presented): Diamine compounds according to claim 3, wherein D is a hydrogen atom, a fluoro atom, a chloro atom, a cyano group, a straight-chain or branched alkyl residue which is unsubstituted, mono-substituted by cyano or fluorine, chlorine, or polysubstituted by fluorine, chlorine, having 1 to 18 carbon atoms or a straight-chain or branched alkyl residue which is unsubstituted, mono-substituted by cyano or fluorine, chlorine, or poly-substituted by fluorine, chlorine, having 1 to 18 carbon atoms, wherein one or more non-adjacent-CH<sub>2</sub>- groups is independently replaced by -O-, -CO-, -CO-O-, -O-CO-, -NR<sup>1</sup>-CO-, -CO-NR<sup>1</sup>-, -NR<sup>1</sup>-CO-O-, -O-CO-NR<sup>1</sup>-, -CH=CH-, -C≡C- and -O-CO-O-, wherein R<sup>1</sup> represents



a hydrogen atom or a straight chain or branched hydrocarbon radical having from 1 to 6 carbon atoms, or represents an organic group having a steroid skeleton.

7. (previously presented): Diamine compounds according to claim 3, wherein D is a hydrogen atom, a fluoro atom, a chloro atom, a cyano group, a straight-chain or branched alkyl residue, having 1 to 12 carbon atoms or a straight-chain or branched alkyl residue, having 1 to 12 carbon atoms, wherein one or more non-adjacent -CH<sub>2</sub>- groups is independently replaced by -O-, -CO-, -CO-O-, -O-CO-, -CH=CH-, -C≡C- and -O-CO-O-.

8. (previously presented): Diamine compounds according to claim 3, wherein S<sup>1</sup> is selected from a single covalent bond, -CO-O-, -CO-NR<sup>1</sup>-, -CO-, a straight-chain or branched alkylene group which is unsubstituted, mono or poly-substituted by fluorine, chlorine and cyano, having 1 to 24 carbon atoms, and a straight-chain or branched alkylene group which is unsubstituted, mono or poly-substituted by fluorine, chlorine and cyano, having 1 to 24 carbon atoms, wherein one or more non-adjacent -CH<sub>2</sub>- groups is independently replaced by a group B, wherein R<sup>1</sup> represents a hydrogen atom or a straight chain or branched hydrocarbon radical having from 1 to 6 carbon atoms.

9. (previously presented): Diamine compounds according to claim 3, wherein S<sup>1</sup> is selected from a single covalent bond, -CO-O-, -CO-, -(CH<sub>2</sub>)<sub>r</sub>-, -(CH<sub>2</sub>)<sub>r</sub>-O-, -(CH<sub>2</sub>)<sub>r</sub>-CO-, -(CH<sub>2</sub>)<sub>r</sub>-CO-O-, -(CH<sub>2</sub>)<sub>r</sub>-O-CO-, -(CH<sub>2</sub>)<sub>r</sub>-CO-NR<sup>1</sup>-, -(CH<sub>2</sub>)<sub>r</sub>-NR<sup>1</sup>-CO-, -(CH<sub>2</sub>)<sub>r</sub>-NR<sup>1</sup>-, -CO-O-(CH<sub>2</sub>)<sub>r</sub>-, -CO-NR<sup>1</sup>-(CH<sub>2</sub>)<sub>r</sub>-, -CO-O-(CH<sub>2</sub>)<sub>r</sub>-O-, -CO-NR<sup>1</sup>-(CH<sub>2</sub>)<sub>r</sub>-O-, -CO-NR<sup>1</sup>-(CH<sub>2</sub>)<sub>r</sub>-NR<sup>1</sup>-, -CO-NR<sup>1</sup>-(CH<sub>2</sub>)<sub>r</sub>-O-CO-, -(CH<sub>2</sub>)<sub>r</sub>-O-(CH<sub>2</sub>)<sub>s</sub>-, -(CH<sub>2</sub>)<sub>r</sub>-CO-O-(CH<sub>2</sub>)<sub>s</sub>-, -(CH<sub>2</sub>)<sub>r</sub>-O-CO-(CH<sub>2</sub>)<sub>s</sub>-, -(CH<sub>2</sub>)<sub>r</sub>-NR<sup>1</sup>-CO-(CH<sub>2</sub>)<sub>s</sub>-, -(CH<sub>2</sub>)<sub>r</sub>-NR<sup>1</sup>-CO-O-(CH<sub>2</sub>)<sub>s</sub>-, -(CH<sub>2</sub>)<sub>r</sub>-O-(CH<sub>2</sub>)<sub>s</sub>-O-, -(CH<sub>2</sub>)<sub>r</sub>-CO-O-(CH<sub>2</sub>)<sub>s</sub>-O-, -(CH<sub>2</sub>)<sub>r</sub>-O-CO-(CH<sub>2</sub>)<sub>s</sub>-O-,

$-(CH_2)_r-NR^1-CO-(CH_2)_s-O-$ ,  $-(CH_2)_r-NR^1-CO-O-(CH_2)_s-O-$ ,  $-CO-O-(CH_2)_r-O-(CH_2)_s-$  and  $-CO-O(CH_2)_r-O-(CH_2)_s-O-$ , wherein  $R^1$  is as defined above,  $r$  and  $s$  each represent an integer from 1 to 20 and  $r + s \leq 21$ .

10. (previously presented): Diamine compounds according to claim 3, wherein  $S^1$  is selected from a single covalent bond,  $-(CH_2)_r-$ ,  $-(CH_2)_r-O-$ ,  $-(CH_2)_r-CO-O-$ ,  $-(CH_2)_r-O-CO-$ ,  $-(CH_2)_r-CO-NH-$ ,  $-(CH_2)_r-NH-CO-$ ,  $-CO-O-(CH_2)_r-$ ,  $-CO-NH-(CH_2)_r-$ ,  $-CO-O-(CH_2)_r-O-$ ,  $-CO-NH-(CH_2)_r-O-$ ,  $-(CH_2)_r-NH-CO-(CH_2)_s-$ ,  $-(CH_2)_r-NH-CO-O-(CH_2)_s-$ ,  $-(CH_2)_r-O-(CH_2)_s-O-$ ,  $-(CH_2)_r-NH-CO-(CH_2)_s-O-$ ,  $-(CH_2)_r-NHCO-O-(CH_2)_s-O-$ ,  $-CO-O-(CH_2)_r-O-(CH_2)_s-O-$ , and  $-CO-(CH_2)_r-NH-CO-(CH_2)_s-O-$ , wherein  $r$  and  $s$  each represent an integer from 1 to 12 and  $r + s \leq 15$ .

11. (canceled).

12. (previously presented): Diamine compounds according to claim 3, wherein  $Z^1$  and  $Z^2$  are selected from a single covalent bond, a spacer unit such as a straight-chain or branched alkylene group, which is unsubstituted, mono or poly-substituted by fluoro atoms, having 1 to 8 carbon atoms, and a spacer unit which is a straight-chain or branched alkylene group, which is unsubstituted, mono or poly-substituted by fluoro atoms, having 1 to 8 carbon atoms, wherein one or more non-adjacent  $-CH_2-$  groups is independently replaced by a group selected from  $-O-$ ,  $-CO-$ ,  $-CO-O-$ ,  $-O-CO-$ ,  $-NR^1-CO-$ ,  $-CO-NR^1-$ ,  $-CH=CH-$ ,  $-C\equiv C-$ , and wherein  $R^1$  represents a hydrogen atom or a straight chain or branched hydrocarbon radical having from 1 to 6 carbon atoms.

13. (previously presented): Diamine compounds according to claim 3, wherein  $Z^1$  and  $Z^2$  are selected from a single covalent bond, a spacer unit such a straight-chain or branched alkylene group having 1 to 4 carbon atom, and a spacer unit which is straight-chain or branched alkylene group having 1 to 4 carbon atoms, wherein one or two non-adjacent  $-CH_2-$  groups is independently replaced by a group selected from  $-O-$ ,  $-CO-$ ,  $-CO-O-$ ,  $-O-CO-$ .

14. (canceled).

15. (previously presented): Diamine compounds according to claim 3, wherein  $n_1 = 0$  with  $n_2 = 1$  and  $n_3 = 1$ .

16. (canceled).

17. (previously presented): Diamine compounds according to claim 3, wherein the steroid skeleton is a 3-cholesteryl or a 3-cholestanyl residue.

18. (canceled).


19. (canceled).

20. (canceled).


21. (previously presented): Diamine compounds according to claim 3, wherein  $A^1$  and  $A^2$  each independently represent a photoreactive group which can be photoisomerized on exposure to UV or laser light, wherein the photoreactive groups include cinnamates, benzylidenephthalimidines, benzylideneacetophones, diphenylacetylenes stilbazoles, uracyl, quinolinone, maleinimides, or cinnamylidene acetic acid derivatives.

22. (previously presented): Diamine compounds according to claim 3, wherein  $A^1$  and  $A^2$  each independently represent a photoreactive group which can be photoisomerized on

exposure to UV or laser light, wherein the photoreactive groups are represented by general formulae IIIa and IIIb:



IIIa



IIIb

wherein

E represents pyrimidine-2,5-diyl, pyridine-2,5-diyl, 2,5-thiophenylene, 2,5-furanylene, 1,4- or 2,6-naphthylene, or phenylene, which is unsubstituted or mono- or poly-substituted by fluorine, chlorine, by a cyclic, straight-chain or branched alkyl residue which is unsubstituted, mono- or poly-substituted by fluorine, chlorine, having 1 to 18 carbon atoms, or by a cyclic, straight-chain or branched alkyl residue which is unsubstituted mono- or poly-substituted by fluorine, chlorine, having 1 to 18 carbon atoms, wherein one or more non-adjacent -CH<sub>2</sub>- groups is independently be replaced by a group B as defined hereinabove;

F represents -OR<sup>2</sup>, -NR<sup>3</sup>R<sup>4</sup> or an oxygen atom, which defines together with the ring E a coumarin unit, wherein R<sup>2</sup>, R<sup>3</sup> and R<sup>4</sup> are selected from hydrogen, a cyclic, straight-chain or branched alkyl residue which is unsubstituted, mono- or

poly-substituted by fluorine, chlorine, having 1 to 24 carbon atoms, a cyclic, straight-chain or branched alkyl residue which is unsubstituted, mono- or poly-substituted by fluorine, chlorine, having 1 to 24 carbon atoms, wherein one or more non-adjacent -CH<sub>2</sub>- groups is independently replaced by a group J, or R<sup>3</sup> and R<sup>4</sup> together form a C<sub>5-8</sub> alicyclic ring; wherein

J represents a group selected from -O-, -CO-, -CO-O-, -O-CO-, -NR<sup>1</sup>-, -NR<sup>1</sup>-CO-, -CO-NR<sup>1</sup>-, -NR<sup>1</sup>-CO-O-, -O-CO-NR<sup>1</sup>-, -NR<sup>1</sup>-CO-NR<sup>1</sup>-, -CH=CH-, -C≡C-, -O-CO-O- and -Si(CH<sub>3</sub>)<sub>2</sub>-O-Si(CH<sub>3</sub>)<sub>2</sub>-, an aromatic or an alicyclic group, and wherein R<sup>1</sup> represents a hydrogen atom or a straight chain or branched hydrocarbon radical having from 1 to 6 carbon atoms;

G represents a hydrogen atom, or a halogen atom, a straight-chain or branched alkyl group which is unsubstituted, mono or poly-substituted by cyano, fluorine, chlorine, having 1 to 24 carbon atoms, or a straight-chain or branched alkyl group which is unsubstituted, mono or poly-substituted by cyano, fluorine, chlorine, having 1 to 24 carbon atoms, wherein one or more -CH<sub>2</sub>- groups is independently replaced by a group J, with the proviso that oxygen atoms are not directly attached to each other;

S<sup>2</sup>, S<sup>3</sup> each independently of the other represent a single bond, a spacer unit which is a straight-chain or branched alkylene group which is unsubstituted, mono or polysubstituted by fluorine, chlorine, or cyano, having 1 to 40 carbon atoms, or a spacer unit which is a straight-chain or branched alkylene group which is

unsubstituted, mono or poly-substituted by fluorine, chlorine, or cyano, having 1 to 40 carbon atoms, wherein one or more -CH<sub>2</sub>- groups is independently replaced by a group J, with the proviso that oxygen atoms are not directly attached to each other;

Q represents an oxygen atom or -NR<sup>1</sup>- wherein R<sup>1</sup> represents a hydrogen atom or a straight chain or branched hydrocarbon radical having from 1 to 6 carbon atoms;

X, Y each independently of the other represents hydrogen, fluorine, chlorine, cyano, alkyl optionally substituted by fluorine having 1 to 12 carbon atoms in which optionally one or more non-adjacent alkyl -CH<sub>2</sub>- groups are replaced by -O-, -CO-O-, -O-CO- and/or -CH=CH-.

23. (original): Diamine compounds according to claim 22, wherein E is selected from pyrimidine-2,5-diyl, pyridine-2,5-diyl, 2,5-thiophenylene, 2,5-furanylene, 1,4- or 2,6-naphthylene and phenylene, which is unsubstituted or substituted by a cyclic, straight-chain or branched alkyl residue which is unsubstituted, mono- or poly-substituted by fluorine, chlorine having 1 to 12 carbon atoms in which optionally one or more non-adjacent alkyl -CH<sub>2</sub>- groups are replaced by -O-, -CO-, -CO-O-, -O-CO-, -CH=CH- and -C≡C-.

24. (previously presented): Diamine compounds according to claim 22, wherein E is selected from 2,5-furanylene, 1,4- or 2,6-naphthylene and phenylene, which is unsubstituted or substituted by a cyclic, straight-chain or branched alkyl residue having 1 to 12 carbon atoms in which optionally one or more non-adjacent alkyl -CH<sub>2</sub>- groups are replaced by -O-, -CO-, -CO-O-, -O-CO-, -CH=CH- and -C≡C-.

25. (previously presented): Diamine compounds according to claim 22, wherein F is selected from  $-OR^2$  and  $-NR^3R^4$ , wherein  $R^2$  and  $R^3$  represent a cyclic, straight-chain or branched alkyl residue which is unsubstituted, mono- or poly-substituted by fluorine, chlorine, cyano, having 1 to 18 carbons atoms or a cyclic, straight-chain or branched alkyl residue which is unsubstituted, mono- or poly- substituted by fluorine, chlorine, cyano, having 1 to 18 carbons atoms, wherein one or more non-adjacent alkyl  $-CH_2-$  groups is independently replaced by  $-O-$  or  $-CH=CH-$ , wherein  $R^4$  is selected from a hydrogen atom, a cyclic, straight-chain or branched alkyl residue which is unsubstituted, mono- or poly-substituted by fluorine, chlorine, cyano, having 1 to 18 carbons atoms or a cyclic, straight-chain or branched alkyl residue which is unsubstituted, mono- or poly- substituted by fluorine, chlorine, cyano, having 1 to 18 carbons atoms, wherein one or more non-adjacent  $-CH_2-$  groups is independently replaced by  $-O-$  or  $-CH=CH-$ , or  $R^4$  and  $R^5$  together to form a  $C_{5-8}$  alicyclic ring.

26. (previously presented): Diamine compounds according to claim 22, wherein F is selected from the group comprising  $-OR^2$  or  $-NHR^3$ , wherein  $R^2$  and  $R^3$  represent a cyclic, straight-chain or branched alkyl residue which is unsubstituted, mono- or poly-substituted by fluorine atoms, having 1 to 18 carbon atoms or a cyclic, straight-chain or branched alkyl residue which is unsubstituted, mono- or poly- substituted by fluorine atoms, having 1 to 18 carbon atoms, wherein one or more non-adjacent  $-CH_2-$  groups is independently replaced by  $-O-$ .

27. (previously presented): Diamine compounds according to claim 22, wherein G is a hydrogen atom, or fluorine atom, or chlorine atom, a straight-chain or branched alkyl group which is unsubstituted, mono-substituted by cyano, fluorine or chlorine or poly-substituted by fluorine, chlorine, having 1 to 18 carbon atoms, or a straight-chain or branched alkyl group

which is unsubstituted, mono-substituted by cyano, fluorine or chlorine or poly-substituted by fluorine, chlorine, having 1 to 18 carbon atoms, wherein one or more -CH<sub>2</sub>- groups is independently replaced -O-, -CO-, -CO-O-, -O-CO-, -NR<sup>1</sup>-, -NR<sup>1</sup>-CO-, -CO-NR<sup>1</sup>-, -NR<sup>1</sup>-CO-O-, -O-CO-NR<sup>1</sup>-, -NR<sup>1</sup>-CO-NR<sup>1</sup>-, -CH=CH-, -C≡C- and -O-CO-O-, an aromatic or an alicyclic group, with the proviso that oxygen atoms are not directly attached to each other, and wherein R<sup>1</sup> represents a hydrogen atom or a straight chain or branched hydrocarbon radical having from 1 to 6 carbon atoms.

28. (previously presented): Diamine compounds according to claim 22, wherein G is a hydrogen atom, a straight-chain or branched alkyl group having 1 to 18 carbon atoms, or a straight-chain or branched alkyl group having 1 to 18 carbon atoms, wherein one or more non-adjacent -CH<sub>2</sub>- groups is independently replaced -O-, -CO-, -CO-O-, -O-CO-, -NR<sup>1</sup>-, -NR<sup>1</sup>-CO-, -CO-NR<sup>1</sup>-, and -O-CO-O-, with the proviso that oxygen atoms are not directly attached to each other, and wherein R<sup>1</sup> represents a hydrogen atom or a straight chain or branched hydrocarbon radical having from 1 to 6 carbon atoms.

29. (previously presented): Diamine compounds according to claim 22, wherein S<sup>2</sup> is selected from a single covalent bond, -CO-O-, -CO-NR<sup>1</sup>-, -CO-, a straight-chain or branched alkylene group which is unsubstituted, mono or poly-substituted by fluorine, chlorine, or cyano, having 1 to 24 carbon atoms, and a straight-chain or branched alkylene group which is unsubstituted, mono or poly-substituted by fluorine, chlorine, or cyano, having 1 to 24 carbon atoms, wherein one or more -CH<sub>2</sub>- groups is independently replaced by a group J, with the proviso that oxygen atoms are not directly attached to each other, wherein R<sup>1</sup> represents a



hydrogen atom or a straight chain or branched hydrocarbon radical having from 1 to 6 carbon atoms.

30. (previously presented): Diamine compounds according to claim 22, wherein  $S^2$  is selected from a single covalent bond,  $-\text{CO}-\text{O}-$ ,  $-\text{CO}-$ ,  $-(\text{CH}_2)_r-$ ,  $-(\text{CH}_2)_r-\text{O}-$ ,  $-(\text{CH}_2)_r-\text{CO}-$ ,  $-(\text{CH}_2)_r-\text{CO}-\text{O}-$ ,  $-(\text{CH}_2)_r-\text{O}-\text{CO}-$ ,  $-(\text{CH}_2)_r-\text{CO}-\text{NR}^1-$ ,  $-\text{CO}-\text{O}-(\text{CH}_2)_r-\text{O}-$ ,  $-(\text{CH}_2)_r-\text{NR}^1-\text{CO}-$ ,  $-(\text{CH}_2)_r-\text{NR}^1-$ ,  $-\text{CO}-\text{O}-(\text{CH}_2)_r-$ ,  $-\text{CO}-\text{NR}^1-(\text{CH}_2)_r-$ ,  $-\text{CO}-\text{NR}^1-(\text{CH}_2)_r-\text{O}-$ ,  $-\text{CO}-\text{NR}^1-(\text{CH}_2)_r-\text{NR}^1-$ ,  $-\text{CO}-\text{NR}^1-(\text{CH}_2)_r-\text{O}-\text{CO}-$ ,  $-(\text{CH}_2)_r-\text{O}-(\text{CH}_2)_s-$ ,  $-(\text{CH}_2)_r-\text{CO}-\text{O}-(\text{CH}_2)_s-$ ,  $-(\text{CH}_2)_r-\text{O}-\text{CO}-(\text{CH}_2)_s-$ ,  $-(\text{CH}_2)_r-\text{NR}^1-\text{CO}-(\text{CH}_2)_s-$ ,  $-(\text{CH}_2)_r-\text{NR}^1-\text{CO}-\text{O}-(\text{CH}_2)_s-$ ,  $-(\text{CH}_2)_r-\text{O}-(\text{CH}_2)_s-\text{O}-$ ,  $-(\text{CH}_2)_r-\text{CO}-\text{O}-(\text{CH}_2)_s-\text{O}-$ ,  $-(\text{CH}_2)_r-\text{O}-\text{CO}-(\text{CH}_2)_s-\text{O}-$ ,  $-(\text{CH}_2)_r-\text{NR}^1-\text{CO}-(\text{CH}_2)_s-\text{O}-$ ,  $-(\text{CH}_2)_r-\text{NR}^1-\text{CO}-\text{O}-(\text{CH}_2)_s-\text{O}-$ ,  $-\text{CO}-\text{O}-(\text{CH}_2)_r-\text{O}-(\text{CH}_2)_s-$  and  $-\text{CO}-\text{O}-(\text{CH}_2)_r-\text{O}-(\text{CH}_2)_s-\text{O}-$ , wherein  $R^1$  is as defined above,  $r$  and  $s$  each represent an integer from 1 to 20, and  $r + s \leq 21$ .

31. (previously presented): Diamine compounds according to claim 22, wherein  $S^2$  is selected from a single covalent bond,  $-(\text{CH}_2)_r-$ ,  $-(\text{CH}_2)_r-\text{O}-$ ,  $-(\text{CH}_2)_r-\text{CO}-\text{O}-$ ,  $-(\text{CH}_2)_r-\text{O}-\text{CO}-$ ,  $-(\text{CH}_2)_r-\text{CO}-\text{NH}-$ ,  $-(\text{CH}_2)_r-\text{NH}-\text{CO}-$ ,  $-\text{CO}-\text{O}-(\text{CH}_2)_r-$ ,  $-\text{CO}-\text{NH}-(\text{CH}_2)_r-$ ,  $-\text{CO}-\text{O}-(\text{CH}_2)_r-\text{O}-$ ,  $-\text{CO}-\text{NH}-(\text{CH}_2)_r-\text{O}-$ ,  $-(\text{CH}_2)_r-\text{NH}-\text{CO}-(\text{CH}_2)_s-$ ,  $-(\text{CH}_2)_r-\text{NH}-\text{CO}-\text{O}-(\text{CH}_2)_s-$ ,  $-(\text{CH}_2)_r-\text{O}-(\text{CH}_2)_s-\text{O}-$ ,  $-(\text{CH}_2)_r-\text{NH}-\text{CO}-(\text{CH}_2)_s-\text{O}-$ ,  $-(\text{CH}_2)_r-\text{NH}-\text{CO}-\text{O}-(\text{CH}_2)_s-\text{O}-$ ,  $-\text{CO}-\text{O}-(\text{CH}_2)_r-\text{O}-(\text{CH}_2)_s-\text{O}-$ , and  $-\text{CO}-(\text{CH}_2)_r-\text{NH}-\text{CO}-(\text{CH}_2)_s-\text{O}-$ , wherein  $r$  and  $s$  each represent an integer from 1 to 12 and  $r + s \leq 15$ .

32. (previously presented): Diamine compounds according to claim 22, wherein  $S^2$  include 1,2-ethylen, 1,3-propylen, 1,4-butylen, 1,5-pentylen, 1,6-hexylen, 1,7-heptylen,

1,8-octylen, 1,9-nonylen, 1,10-decylen, 1,11-undecylen, 1,12-dodecylen, 3-methyl-1,4-butylen,  
2-(methylenoxy)ethylen, 3-(methylenoxy)propylen, 4-(methylenoxy)butylen,  
5-(methylenoxy)pentylen, 6-(methylenoxy)hexylen, 7-(methylenoxy)heptylen,  
8-(methylenoxy)octylen, 9-(methylenoxy)nonylen, 10-(methylenoxy)decylen,  
11-(methylenoxy)undecylen, 12-(methylenoxy)dodecylen, 2-(carbonyloxy)ethylen,  
3-(carbonyloxy)propylen, 4-(carbonyloxy)butylen, 5-(carbonyloxy)pentylen,  
6-(carbonyloxy)hexylen, 7-(carbonyloxy)heptylen, 8-(carbonyloxy)octylen,  
9-(carbonyloxy)nonylen, 10-(carbonyloxy)decylen, 11-(carbonyloxy)undecylen,  
12-(carbonyloxy)dodecylen, 2-(carbonylamino)ethylen, 3-(carbonylamino)propylen,  
4-(carbonylamino)butylen, 5-(carbonylamino)pentylen, 6-(carbonylamino)hexylen,  
7-(carbonylamino)heptylen, 8-(carbonylamino)octylen, 9-(carbonylamino)nonylen,  
10-(carbonylamino)decylen, 11-(carbonylamino)undecylen, 12-(carbonylamino)dodecylen,  
3-propylenoxy, 3-propylenoxycarbonyl, 2-ethylenoyloxy, 4-butylenoxy, 4-butylenoxycarbonyl,  
3-propylenoyloxy, 5-pentylenoxy, 5-pentylenoxycarbonyl, 4-butylenoyloxy, 6-hexylenoxy,  
6-hexylenoxycarbonyl, 5-pentylenoyloxy, 7-heptylenoxy, 7-heptylenoxycarbonyl,  
6-hexylenoyloxy, 8-octylenoxy, 8-octylenoxycarbonyl, 7-heptylenoyloxy, 9-nonylenoxy,  
9-nonylenoxycarbonyl, 8-octylenoyloxy, 10-decylenoxy, 10-decylenoxycarbonyl,  
9-nonylenoyloxy, 11-undecylenoxy, 11-undecylenoxycarbonyl, 10-decylenoyloxy,  
12-dodecylenoxy, 12-dodecylenoxycarbonyl, 11-undecylenoyloxy, 3-propylenaminocarbonyl,  
4-butylenaminocarbonyl, 5-pentylenaminocarbonyl, 6-hexylenaminocarbonyl,  
7-heptylenaminocarbonyl, 8-octylenaminocarbonyl, 9-nonylenaminocarbonyl,  
10-decylenaminocarbonyl, 11-undecylenaminocarbonyl, 12-dodecylenaminocarbonyl,  
2-ethylenoylamino, 3-propylenoylamino, 4-butylenoylamino, 5-pentylenoylamino,

6-hexylenoylamino, 7-heptylenoylamino, 8-octylenoylamino, 9-nonylenoylamino,  
10-decylenoylamino, 11-undecylenoylamino, 2-(methylenoxy)ethanoyloxy ,  
3-(methylenoxy)propyloxy, 3-(methylenoxy)propyloxycarbonyl, 4-(methylenoxy)butyloxy,  
4-(methylenoxy)butyloxycarbonyl, 3-(methylenoxy)propanoyloxy, 5-(methylenoxy)pentyloxy,  
5-(methylenoxy)pentyloxycarbonyl, 4-(methylenoxy)butanoyloxy, 6-(methylenoxy)hexyloxy,  
6-(methylenoxy)hexyloxycarbonyl, 5-(methylenoxy)pentanoyloxy, 7-(methylenoxy)heptyloxy,  
7-(methylenoxy)heptyloxycarbonyl, 6-(methylenoxy)hexanoyloxy, 8-(methylenoxy)octyloxy,  
8-(methylenoxy)octyloxycarbonyl, 7-(methylenoxy)heptanoyloxy, 9-(methylenoxy)nonyloxy,  
9-(methylenoxy)nonyloxycarbonyl, 8-(methylenoxy)octanoyloxy, 10-(methylenoxy)decyloxy,  
10-(methylenoxy)decyloxycarbonyl, 9-(methylenoxy)nonanoyloxy,  
11-(methylenoxy)undecyloxy, 11-(methylenoxy)undecyloxycarbonyl,  
10-(methylenoxy)decanoyloxy, 12-(methylenoxy)dodecyloxy,  
12-(methylenoxy)dodecyloxycarbonyl, 11-(methylenoxy)undecanoyloxy,  
3-(methylenoxy)propylaminocarbonyl, 4-(methylenoxy)butylaminocarbonyl,  
5-(methylenoxy)pentylaminocarbonyl, 6-(methylenoxy)hexylaminocarbonyl,  
7-(methylenoxy)heptylaminocarbonyl, 8-(methylenoxy)octylaminocarbonyl,  
9-(methylenoxy)nonylaminocarbonyl, 10-(methylenoxy)decylaminocarbonyl,  
11-(methylenoxy)undecylaminocarbonyl, 12-(methylenoxy)dodecylaminocarbonyl,  
2-(methylenoxy)ethanoylamino, 3-(methylenoxy)propanoylamino,  
4-(methylenoxy)butanoylamino, 5-(methylenoxy)pentanoylamino,  
6-(methylenoxy)hexanoylamino, 7-(methylenoxy)heptanoylamino,  
8-(methylenoxy)octanoylamino, 9-(methylenoxy)nonanoylamino,  
10-(methylenoxy)decanoylamino, 11-(methylenoxy)undecanoylamino, 12-

(methylenoxy)dodecylaminocarbonyl, 2-(carbonyloxy)ethanoyloxy, 3-(carbonyloxy)propyloxy, 3-(carbonyloxy)propyloxycarbonyl, 4-(carbonyloxy)butyloxy, 4-(carbonyloxy)butyloxycarbonyl, 3-(carbonyloxy)propanoyloxy, 5-(carbonyloxy)pentyloxy, 5-(carbonyloxy)pentyloxycarbonyl, 4-(carbonyloxy)butanoyloxy, 6-(carbonyloxy)hexyloxy, 6-(carbonyloxy)hexyloxycarbonyl, 5-(carbonyloxy)pentanoyloxy, 7-(carbonyloxy)heptyloxy, 7-(carbonyloxy)heptyloxycarbonyl, 6-(carbonyloxy)hexanoyloxy, 8-(carbonyloxy)octyloxy, 8-(carbonyloxy)octyloxycarbonyl, 7-(carbonyloxy)heptanoyloxy, 9-(carbonyloxy)nonyloxy, 9-(carbonyloxy)nonyloxycarbonyl, 8-(carbonyloxy)octanoyloxy, 10-(carbonyloxy)decyloxy, 10-(carbonyloxy)decyloxycarbonyl, 9-(carbonyloxy)nonanoyloxy, 11-(carbonyloxy)undecyloxy, 11-(carbonyloxy)undecyloxycarbonyl, 10-(carbonyloxy)decanoyloxy, 12-(carbonyloxy)dodecyloxy, 12-(carbonyloxy)dodecyloxycarbonyl, 11-(carbonyloxy)undecanoyloxy, 3-(carbonyloxy)propylaminocarbonyl, 4-(carbonyloxy)butylaminocarbonyl, 5-(carbonyloxy)pentylaminocarbonyl, 6-(carbonyloxy)hexylaminocarbonyl, 7-(carbonyloxy)heptylaminocarbonyl, 8-(carbonyloxy)octylaminocarbonyl, 9-(carbonyloxy)nonylaminocarbonyl, 10-(carbonyloxy)decylaminocarbonyl, 11-(carbonyloxy)undecylaminocarbonyl, 12-(carbonyloxy)dodecylaminocarbonyl, 2-(carbonyloxy)ethanoylamino, 3-(carbonyloxy)propanoylamino, 4-(carbonyloxy)butanoylamino, 5-(carbonyloxy)pentanoylamino, 6-(carbonyloxy)hexanoylamino, 7-(carbonyloxy)heptanoylamino, 8-(carbonyloxy)octanoylamino, 9-(carbonyloxy)nonanoylamino, 10-(carbonyloxy)decanoylamino, 11-(carbonyloxy)undecanoylamino, 12-(carbonyloxy)dodecylaminocarbonyl, 6-(3-propylenaminocarbonyloxy)hexylen, 6-(3-propylenoxy)hexylen,

6-(3-propylenoxy)hexyloxy, 6-(3-propylenaminocarbonyloxy)hexyloxy,  
6-(3-propylenaminocarbonyl)hexyl, 6-(3-propylenaminocarbonyl)hexyloxy,  
2-(methylenoxy)ethyloxycarbonyloxy, 3-(methylenoxy)propyloxycarbonyloxy,  
6-(methylenoxy)hexyloxycarbonyloxy, 2-(methylenoxycarbonyl)ethylen,  
3-(methylenoxycarbonyl)propyloxycarbonyloxy,  
6-(methylenoxycarbonyl)hexyloxycarbonyloxy, 6-(3-propylenoxycarbonyloxy)hexylen,  
6-(3-propylenoxycarbonyl)hexylen, 2-(methylenaminocarbonyl)ethylen,  
3-(methylenaminocarbonyl)propylen, 6-(methylenaminocarbonyl)hexylen,  
6-(3-propylenaminocarbonyloxy)hexylen, 6-(3-propylenaminocarbonyl)hexylen,  
4-{{6-(methylenoxy)hexyl}oxy}phenylen, 4-[6-(methylenoxy)hexyl]cyclohexylen,  
3-methoxy-4-{{6-(methylenoxy)hexyl}oxy}phenylen,  
4-{{6-(methylenoxy)hexyl}oxy}phenylcarbonyloxy,  
4-[6-(methylenoxy)hexyl]cyclohexanoyloxy,  
3-ethoxy-4-{{8-(methylenoxy)octyl}oxy}phenylcarbonyloxy,  
4-[3-(carbonyloxy)propyl]phenylen, 4-[6-(carbonyloxy)hexyl]phenylen,  
4-[6-(carbonyloxy)hexyl]cyclohexylen, 3-methoxy-4-[6-(carbonyloxy)hexyl]phenylen,  
4-[6-(carbonyloxy)hexyl]phenylcarbonyloxy, 4-[6-(carbonyloxy)hexyl]cyclohexanoyloxy,  
3-ethoxy-4-[8-(carbonyloxy)octyl]phenylcarbonyloxy,  
2-{4-4-{2-(methylenoxy)ethyl}cyclohexyl}phenyl}ethoxy, 1-[4'-{{4-(methylenoxy)butyl}oxy}-  
1,1'-biphenyl-4-yl]carbonyloxy, 1-{4-[4-{2-(methylenoxy)ethoxy}phenyl}methyloxy,  
2-{4-[4-(2-carbonyloxyethyl) cyclohexyl]phenyl}ethoxy, 2-[4'-(4-  
carbonyloxybutyl)-1,1'-biphenylen-4-yl]ethoxy, 6-{4-[4-(2-carbonyloxyethyl)phenyl]hexyloxy,  
and 5-{{4'-[4-(methylenoxy)butoxy]}-1,1'-biphenyl-4-yl}oxy}pentanoyloxy.

33. (previously presented): Diamine compounds according to claim 22, wherein  $S^3$  is selected from  $-\text{CO}-\text{O}-$ ,  $-\text{CO}-\text{NR}^1-$ ,  $-\text{CO}-$ , a straight-chain or branched alkylene group which is unsubstituted, mono or poly-substituted by fluorine, chlorine, or cyano, having 1 to 24 carbon atoms, and a straight-chain or branched alkylene group which is unsubstituted, mono or poly-substituted by fluorine, chlorine, or cyano, having 1 to 24 carbon atoms, wherein one or more  $-\text{CH}_2-$  groups is independently replaced by a group J, with the proviso that oxygen atoms are not directly attached to each other, wherein  $R^1$  represents a hydrogen atom or a straight chain or branched hydrocarbon radical having from 1 to 6 carbon atoms.

34. (previously presented): Diamine compounds according to claim 22, wherein  $S^3$  is selected from a single covalent bond,  $-(\text{CH}_2)_r-$ ,  $-\text{CO}-(\text{CH}_2)_r-$ ,  $-\text{CO}-\text{O}-(\text{CH}_2)_r-$ ,  $-\text{CO}-\text{NR}^1-(\text{CH}_2)_r-$ ,  $-(\text{CH}_2)_r-\text{O}-(\text{CH}_2)_s-$ ,  $-(\text{CH}_2)_r-\text{CO}-\text{O}-(\text{CH}_2)_s-$ ,  $-(\text{CH}_2)_r-\text{O}-\text{CO}-(\text{CH}_2)_s-$ ,  $-(\text{CH}_2)_r-\text{NR}^1-\text{CO}-(\text{CH}_2)_s-$ ,  $-(\text{CH}_2)_r-\text{NR}^1-\text{CO}-\text{O}-(\text{CH}_2)_s-$ , and  $-\text{CO}-\text{O}-(\text{CH}_2)_r-\text{O}-(\text{CH}_2)_s-$ , wherein  $R^1$  is as defined herein above; r and s each represent an integer from 1 to 20; and  $r + s \leq 21$ .

35. (previously presented): Diamine compounds according to claim 22, wherein  $S^3$  include 1,2-ethylen, 1,3-propylen, 1,4-butylen, 1,5-pentylen, 1,6-hexylen, 1,7-heptylen, 1,8-octylen, 1,9-nonylen, 1,10-decylen, 1,11-undecylen, 1,12-dodecylen, 3-methyl-1,4-butylen, 2-(methylenoxy)ethylen, 3-(methylenoxy)propylen, 4-(methylenoxy)butylen, 5-(methylenoxy)pentylen, 6-(methylenoxy)hexylen, 7-(methylenoxy)heptylen, 8-(methylenoxy)octylen, 9-(methylenoxy)nonylen, 10-(methylenoxy)decylen, 11-(methylenoxy)undecylen, 12-(methylenoxy)dodecylen, 2-(carbonyloxy)ethylen, 3-(carbonyloxy)propylen, 4-(carbonyloxy)butylen, 5-(carbonyloxy)pentylen,

6-(carbonyloxy)hexylen, 7-(carbonyloxy)heptylen, 8-(carbonyloxy)octylen,  
9-(carbonyloxy)nonylen, 10-(carbonyloxy)decylen, 11-(carbonyloxy)undecylen,  
12-(carbonyloxy)dodecylen, 2-(carbonylamino)ethylen, 3-(carbonylamino)propylen,  
4-(carbonylamino)butylen, 5-(carbonylamino)pentylen, 6-(carbonylamino)hexylen,  
7-(carbonylamino)heptylen, 8-(carbonylamino)octylen, 9-(carbonylamino)nonylen,  
10-(carbonylamino)decylen, 11-(carbonylamino)undecylen, 12-(carbonylamino)dodecylen,  
6-(3-propylenaminocarbonyloxy)hexylen, 6-(3-propylenoxy)hexylen,  
6-(3-propylenaminocarbonyl)hexyl, 2-(methylenoxycarbonyl)ethylen,  
6-(3-propylenoxycarbonyloxy)hexylen, 6-(3-propylenoxycarbonyl)hexylen,  
2-(methylenaminocarbonyl)ethylen, 3-(methylenaminocarbonyl)propylen,  
6-(methylenaminocarbonyl)hexylen, 6-(3-propylenaminocarbonyloxy)hexylen,  
6-(3-propylenaminocarbonyl)hexylen, 4-{{6-(methylenoxy)hexyl}oxy}phenylen,  
4-{{6-(methylenoxy)hexyl}cyclohexylen, 3-methoxy-4-{{6-(methylenoxy)hexyl}oxy}phenylen,  
4-{{3-(carbonyloxy)propyl}phenylen, 4-{{6-(carbonyloxy)hexyl}phenylen, and  
4-{{6-(carbonyloxy)hexyl}cyclohexylen, 3-methoxy- 4-{{6-(carbonyloxy)hexyl}phenylen.

36. (previously presented): Diamine compounds according to claim 22, wherein Q is an oxygen atom or -NH-.


37. (previously presented): Diamine compounds according to claim 22, wherein Q is an oxygen atom.

38. (previously presented): Diamine compounds according to claim 22, wherein X and Y represent hydrogen.


39. (previously presented): Diamine compounds according to claim 22, wherein the photoactive groups are groups of formula IIIa.

40. (previously presented): Method of using a diamine compound according to claim 22, comprising providing the diamine compound as precursor for the production of liquid crystal alignment layers.

41. (previously presented): A liquid crystal orientation material obtained by the reaction of a diamine compound represented by the general formula I:



wherein A<sup>1</sup> and A<sup>2</sup> each independently represent a mesogen group represented by general formula II:



wherein

C<sup>1</sup> to C<sup>3</sup> each independently represent an aromatic or an alicyclic group, which is unsubstituted or mono- or poly-substituted by a cyano group or by halogen atoms, or by a cyclic, straight-chain or branched alkyl residue which is unsubstituted, mono- or poly-substituted by fluorine, chlorine, having 1 to 18 carbon atoms, or by a cyclic, straight-chain or branched alkyl residue which is unsubstituted, mono- or poly-substituted by fluorine, chlorine, having 1 to 18 carbon atoms, wherein one or more non-adjacent -CH<sub>2</sub>- groups is independently replaced by a group B;



- D represents a hydrogen atom, a halogen atom, a cyano group, or a straight-chain or branched alkyl residue which is unsubstituted, mono-substituted by cyano or fluorine, chlorine, or poly-substituted by fluorine, chlorine, having 1 to 24 carbon atoms, or a straight-chain or branched alkyl residue which is unsubstituted, mono-substituted by cyano or fluorine, chlorine, or poly-substituted by fluorine, chlorine, having 1 to 24 carbon atoms, wherein one or more non-adjacent -CH<sub>2</sub>- groups is independently replaced by a group B, or represents a organic group having a steroid skeleton;
- S<sup>1</sup> represents a single bond or a spacer unit such a straight-chain or branched alkylene group which is unsubstituted, mono or poly-substituted by a cyano group or by halogen atoms, having 1 to 24 carbon atoms, or a spacer unit which is straight-chain or branched alkylene group which is unsubstituted, mono or poly-substituted by a cyano group or by halogen atoms, having 1 to 24 carbon atoms, wherein one or more non-adjacent -CH<sub>2</sub>- groups is independently replaced by a group B;
- Z1 , Z2 each independently of the other represent a single bond or a spacer unit which is straight-chain or branched alkylene group which is unsubstituted, mono or polysubstituted by a cyano group or by halogen atoms, having 1 to 8 carbon atoms or a spacer unit such a straight-chain or branched alkylene group which is unsubstituted, mono or poly-substituted by a cyano group or by halogen atoms, having 1 to 8 carbon atoms, wherein one or more non-adjacent -CH<sub>2</sub>- groups is independently replaced by a group B;
- n1 to n3 are each independently 0 or 1; and

B represents a group selected from -O-, -CO-, -CO-O-, -O-CO-, -NR<sup>1</sup>-, -NR<sup>1</sup>-CO-,  
-CO-NR<sup>1</sup>-, -NR<sup>1</sup>-CO-O-, -O-CO-NR<sup>1</sup>-, -NR<sup>1</sup>-CO-NR<sup>1</sup>-, -CH=CH-, -C≡C-,  
-O-CO-O- and -Si(CH<sub>3</sub>)<sub>2</sub>-O-Si(CH<sub>3</sub>)<sub>2</sub>- and wherein R<sup>1</sup> represents a hydrogen  
atom or a straight chain or branched hydrocarbon radical having from 1 to 6  
carbon atoms,

with the proviso that if n<sub>1</sub> = n<sub>2</sub> = n<sub>3</sub> = 0 then D is a straight-chain or branched alkyl  
residue which is unsubstituted, mono-substituted by cyano or fluorine, chlorine, or poly-  
substituted by fluorine, chlorine, having 5 to 24 carbon atoms or a straight-chain or branched  
alkyl residue which is unsubstituted, mono-substituted by cyano or fluorine, chlorine, or poly-  
substituted by fluorine, chlorine, having 5 to 24 carbon atoms, wherein one or more non-adjacent  
-CH<sub>2</sub>- groups is independently replaced by a group B, or represents a organic group having a  
steroid skeleton.

42. (canceled).
43. (canceled).
44. (canceled).
45. (canceled).
46. (canceled).
47. (canceled).
48. (canceled).
49. (canceled).
50. (canceled).
51. (canceled).

- 52. (canceled).
- 53. (canceled).
- 54. (canceled).
- 55. (canceled).
- 56. (canceled).
- 57. (canceled).
- 58. (canceled).
- 59. (canceled).
- 60. (canceled).
- 61. (canceled).
- 62. (canceled).
- 63. (canceled).
- 64. (canceled).
- 65. (canceled).
- 66. (canceled).
- 67. (canceled).